

MATERIAL SAFETY DATA SHEET

PAGE 1

I. PRODUCT IDENTIFICATION

Trade Name:
Heater Pad

Manufacturer:

Made exclusively for:
Salon Revolutions
565 Country Club Drive
Escondido, CA 92029

Synonyms:
Heater Pad

Phone

888.827.4683 760.480.7586

Chemical Names:

Magnesium CAS# 7439-95-4
Iron CAS# 7439-89-6

Formula: Mixture of elemental metal components
In nonwoven fabric

Generic Name: Magnesium Iron Pad

II. INGREDIENTS

COMPONENTS

Magnesium (Mg)
Iron (Fe)

HAZARD DATA

OSHA PEL 15MG/M3
Not Established

AGIH; Not Established
Not Established

III. PHYSICAL DATA

Boiling Point: 2025 Degrees F.

Melting Point: 1202 Degrees F.

Specific Gravity: 1.74

Solubility in water: None

Vapor Pressure: Not applicable

Vapor Density: Not applicable

% Volatile: Not applicable

Evaporation Rate: Not Applicable

Appearance: flat grayish, metallic powder consisting of
above ingredients, packaged in non woven pad

Odor: Not applicable

IV. FIRE AND EXPLOSION DATA

Flash Point (TCC): Not applicable

Auto-ignition: Loose powder may auto ignite if exposed to heat and
sparks while dispersed as a fine powder in the air.

Flammability Limits in Air (% volume):
Not applicable

LEL
NA

UEL
NA

Extinguishing Media: Smother burning Magnesium-Iron powder by gently covering with DRY agents approved for use on Class D fires. Use agents such as dry melting flux, dry sand, MET-L-X powder, dry talc, Purple-K powder or other suitable agents. **DO NOT USE WATER!** DO NOT use foam, halogenated extinguishers or carbon dioxide.

Special Fire Fighting Procedures: Wear Fire Fighting Glasses when fighting fires – Burning Magnesium-Iron Alloy powder produces a very bright white flame! Only trained fire fighters should apply extinguishing agents gently to avoid disturbing or spreading the burning Magnesium-Iron powder. Monitor carefully for flare-ups and smother these as necessary. Use self-contained breathing apparatus or approach from upwind due to intense white smoke (magnesium oxide) produced. Sometimes it is best to evacuate personnel and allow Magnesium-Iron Alloy powder to burn itself out rather than attempt to extinguish. Do NOT attempt to approach or fight if burning Magnesium-Iron Alloy powder is or may be exposed to water!

Unusual Fire and Explosion Hazards: Individual pads are self-extinguishing. If cases are ignited, plastic will burn initially as a class A fire. Bulk packs will transition from initial class A fire to flammable solid fire (class D) if fire is not brought under control in initial stages.

V. HEALTH HAZARDS

Inhalation	Magnesium-Iron powder should be treated as a nuisance dust. May irritate mucous membranes or upper respiratory tract. <u>Use proper respirator and means of ventilation.</u>
Skin Contact	Wash with soap and water to thoroughly remove particles from skin. Low toxicity and not considered a hazard.
Skin Absorption	Unlikely due to physical form and properties.
Ingestion	Ingestion is unlikely, however ingestion of large amounts could cause injury.
Eye Contact	Mechanical injury or particle may embed in eye. Flush eyes thoroughly with water. Consult a physician immediately.
Health Hazard	Exposure to Magnesium-Iron metal dust should be considered a low health risk. No Health Hazard specified by manufacturer.
Notes to Physician	All treatments should be based on observed signs and symptoms of distress in a patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

VI. REACTIVITY DATA

Stability:

Material is stable unless exposed to water. Salt water activated. Hydrogen gas is released.

Byproducts of reaction with salt water:

Magnesium Hydroxide (Milk of Magnesia – common antacid, FDA listed food additive)

Elemental Iron (food enrichment grade – FDA food additive)

Wetting Agent (Trace amounts only-alcohol derivative, has been shown to cause diarrhea and hypoactivity)

Reacts violently with:

Halogens, Chlorinated Solvents, Ammonium Nitrate, Carbonates, Arsenic, Cupric Oxide, Cupric Sulfate, Mercuric Oxide, Inorganic Phosphates

Materials to Avoid: Acids, acid chlorides, strong oxidizing agents.

Polymerization: Will not occur.

Hazardous Decomposition Products: None under normal storage.

VII. CONTROL AND PROTECTIVE MEASURES

Storage: Pads should be kept dry.

VIII. SPILL OR LEAK PROCEDURE

Spills:

Collect spilled pads and inspect non woven fabric; if fabric is punctured, torn, or interior materials are wetted, discard as waste as described below; if fabric is undamaged, repackage. Do NOT use water for cleanup.

Waste Disposal Method:

Used pads (i.e. pads reacted with salt water) may be disposed of as ordinary waste.

Unused and undamaged pads may:

- (1) Be reacted with salt water in accordance with instructions, then disposed of as ordinary waste.
- (2) Be incinerated in a waste facility, ensuring that all material is burned thoroughly.

Unused but damaged pads should be disposed of in accordance with (1) or (2) directly above. In all circumstances, pads must be disposed of in accordance with all applicable municipal, state, and federal waste disposal regulations.

IX. SPECIAL PROTECTION INFORMATION

No Special Protection measures are called for by consumer. See below for storage information.

X. SPECIAL PRECAUTIONS

Handling: Protect against physical damage.

Storage: Store in a cool, dry well ventilated location, away from sources of ignition. Separate from incompatibles. Observe all warnings and precautions listed for the product. Store product in accordance with OSHA.

Other Precautions: As with all chemicals, read the MSDS before handling. Always use the proper safety gear and eye protection.

We believe the statements, technical information and recommendations contained herein are reliable, but are given without warranty or guarantee. The information in the MSDS was obtained from current and reliable sources. This document is generated for the purpose of distributing health, safety, and environmental data. It is NOT a specification sheet nor should any displayed data be construed as a specification, if this product is used as a component in another product, this MSDS information may not be applicable.

MSDS FOR ANTI-OXIDANT WAX

File number: NA
Name of Product: Anti-Oxidant Paraffin
MSDS date: JAN. 1, 2008

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: ANTI-OXIDANT WAX
Marketing Firm: SPA REVOLUTIONS
565 Country Club Road
Escondido, CA 92029
Domestic Emergency Phone: 760.480.9736
Other phone: Tel: 760.612.5256
Other Phone: Dan Young, 760.504.0330
Fax 760.480.8260
Prepared by Dan Young, FYI Enterprises, Inc., Escondido, CA. 92029
Prepared Jan. 1, 2008

SECTION 2: COMPOSITION/INGREDIENT INFORMATION:

%	Cas no:	Pel-twa	pel stel	acgih	tlv twa	tlv stel	tlv ceiling
Paraffin 70-99%	3111.25.6	1mg/m3	na	na	na	na	na
Lecithin .3-20%	3155.64.	1mg/m3	na	na	na	na	na
Grape Seed Extract .0004%	1211.90	1mg/m3	na	na	na	na	na
Lyceum Berry Extract .0004%	1211.90	1mg/m3	na	na	na	na	na
Cranberry Extract .0004%	1211.90	1mg/m3	na	na	na	na	na
Apple .0004%	1211.90	1mg/m3	na	na	na	na	na
White Tea .0004%	1211.90	1mg/m3	na	na	na	na	na
Green Tea .0004%	1211.90	1mg/m3	na	na	na	na	na

Note: all twa info is 8 hour time weighted average

Note: all acgih tlvs refer to 2002 standards

SECTION 3: HAZARDS DATA

Eye contact: May cause irritation (seek medical care)
Skin contact: No toxicity known
Ingestion: Edible ingredients; could be strong laxative
Inhalation: No toxicity known

SECTION 4: FIRST AID MEASURES

Ingestion: Obtain medical assistance
Inhalation: No response needed
Overexposure: Obtain medical assistance if severe allergy occurs
Eyes: Flush with plenty of water; obtain medical assistance
Skin: No toxicity known; consider allergic response

Notes to physicians or first responders:
Call Dan Young, 760.504.0330 ext 104

SECTION 5: FIRE AND EXPLOSION DATA

Flash point: prox 140 C. Method used: open cup
Flammable limits: Lower: N/A Upper: N/A
Extinguishing Media:
Water Fog: ok CO2 ok Dry Chemical: ok
Unusual Fire and Explosion Hazards: None known to laboratory
Fire fighting equipment: No Special Equipment Needed
Recommended: Niosh/msha approved respirator with organic vapor cartridge
HIMS classification: 1-1-0-F (safety glasses with side shields)

SECTION 6. ACCIDENTAL RELEASE MEASURES:

Action to take for spill/Leaks: Sweep up and collect in appropriate containers

Use absorption dams to prevent spread of leak

Disposal Method: dispose of in accordance with Federal, State and Local Regulations.

SECTION 7: HANDLING AND STORAGE:

Ventilation: High quality general ventilation not required
Respiratory Protection: Niosh approved face mask recommended
Note: must have NIOSH Organic vapor cartridge
Skin Protection: Normal protective clothing and gloves adequate
Eye protection: Safety glasses and/or goggles with side shields

Use cGMP (current GOOD MANUFACTURING PRACTICES) at all times. Read and understand all current updates to cGMP in 21 CFR.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Use good ventilation and use safety glasses with side shields.

SECTION 9: CHEMICAL AND PHYSICAL PROPERTIES.

Boiling Point: < 300 C. Specific Gravity: 0.7-0.9
Vapor Pres.: NA % Volatile by vol.: less than 2%

Vapor Dens.	NA	Appearance:	off white wax
Sol in Water:	none	Odor:	waxy; possible fragrance
PH	NA		

SECTION 10: STABILILTY AND REACTIVITY

Stability data:	not volatile
Conditions to avoid;	overheating
Polymerization:	none known
Polymerization to avoid:	none known

SECTION 11; TOXICOLOGICAL INFORMATION

Acute toxicity oral: not toxic to humans
Acute toxicity inhalation: none
Acute toxicity dermal: none known
Acute toxicity other: none known

SECTION 12: ECOLOGICAL INFORMATION

Environmental fate: no data available
Ectotoxicological information: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

US EPA waste number: not regulated

SECTION 14: TRANSPORT INFORMATION

Hazard class 1

UN/PIN number Not known

DOT classification: Not known

Canadian Trans. of Dangerous Goods (TDG): not regulated

SECTION 15: REGULATORY INFORMATION

This information herein is given in good faith, but no warranty expressed or implied is made. For further information, call FYI Enterprises, Inc. Dan Young, at 760.504.0330

SECTION 16: OTHER INFORMATION

Keep away from children and animals

MSDS FOR DE-TOX WAX

File number: NA
Name of Product: Red Rock De-Tox
MSDS date: NOV 24, 2010

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: DETOX WAX
Marketing Firm: SPA REVOLUTIONS
565 Country Club Road
Escondido, CA 92029
Domestic Emergency Phone: 760.480.9736
Other phone: Tel: 760.612.5256
Other Phone: Jerry Whittemore, 310.202.6456,
Fax 310.202.9192
Prepared by Jerry Whittemore, PharD, Juniper Laboratories, Los Angeles, CA
Prepared Dec. 1, 2006 (contact Dr. Whittemore 310-202-6456)

SECTION 2: COMPOSITION/INGREDIENT INFORMATION:

%	Cas no:	Pel-twa	pel stel	acgih	tlv twa	tlv stel	tlv ceiling
Paraffin 70-99%	3111.25.6	1mg/m3	na	na	na	na	na
Lecithin .4-20%	3155.64.	1mg/m3	na	na	na	na	na
Iron Oxides .1-5%	2337.22.2	1mg/m3	na	na	na	na	na

Note: all twa info is 8 hour time weighted average
Note: all acgih tlvs refer to 2002 standards

SECTION 3: HAZARDS DATA

Eye contact: May cause irritation (seek medical care)
Skin contact: No toxicity known
Ingestion: Edible ingredients; could be strong laxative
Inhalation: No toxicity known

SECTION 4: FIRST AID MEASURES

Ingestion: Obtain medical assistance
Inhalation: No response needed
Overexposure: Obtain medical assistance if severe allergy occurs
Eyes: Flush with plenty of water; obtain medical assistance
Skin: No toxicity known; consider allergic response

Notes to physicians or first responders:
Call Dr J Whittemore 310.202.6456

SECTION 5: FIRE AND EXPLOSION DATA

Flash point: prox 140 C. Method used: open cup
Flammable limits: Lower: N/A Upper: N/A
Extinguishing Media:
Water Fog: ok CO2 ok Dry Chemical: ok
Unusual Fire and Explosion Hazards: None known to laboratory
Fire fighting equipment: No Special Equipment Needed
Recommended: Niosh/msha approved respirator with organic vapor cartridge
HIMS classification: 1-1-0-F (safety glasses with side shields)

SECTION 6. ACCIDENTAL RELEASE MEASURES:

Action to take for spill/Leaks: Sweep up and collect in appropriate containers

Use absorption pigs!

Disposal Method: dispose of in accordance with Federal, State and Local Regulations.

SECTION 7: HANDLING AND STORAGE:

Ventilation: High quality general ventilation not required
Respiratory Protection: Niosh approved face mask recommended
Note: must have NIOSH Organic vapor cartridge
Skin Protection: Normal protective clothing and gloves adequate
Eye protection: Safety glasses and/or goggles with side shields

Use cGMP (current GOOD MANUFACTURING PRACTICES) at all times. Read and understand all current updates to cGMP in 21 CFR.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Use good ventilation and use safety glasses with side shields.

SECTION 9: CHEMICAL AND PHYSICAL PROPERTIES.

Boiling Point:	< 300 C.	Specific Gravity:	0.7-0.9
Vapor Pres.:	NA	% Volatile by vol.:	less than 2%
Vapor Dens.	NA	Appearance:	brown wax
Sol in Water:	none	Odor:	waxy; plus natural mud
PH:	None		

SECTION 10: STABILILTY AND REACTIVITY

Stability data:	not volatile
Conditions to avoid;	overheating
Polymerization:	none known
Polymerization to avoid:	none known

SECTION 11; TOXICOLOGICAL INFORMATION

Acute toxicity oral: not toxic to humans
Acute toxicity inhalation: none
Acute toxicity dermal: none known
Acute toxicity other: none known

SECTION 12: ECOLOGICAL INFORMATION

Environmental fate: no data available
Ectotoxicological information: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

US EPA waste number: not regulated

SECTION 14: TRANSPORT INFORMATION

Hazard class 1

UN/PIN number Not known

DOT classification: Not known

Canadian Trans. of Dangerous Goods (TDG): not regulated

SECTION 15: REGULATORY INFORMATION

This information herein is given in good faith, but no warranty expressed or implied is made. For further information, call Juniper Laboratories, Inc, Dr. Jerry Whittemore, at 310.202.6456

SECTION 16: OTHER INFORMATION

Keep away from children and animals.

MSDS FOR SKIN NOURISHMENT WAX

File number: NA
Name of Product: Skin Nourishment Paraffin
MSDS date: DEC. 1, 2006

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: NOURISHMENT WAX
Marketing Firm: SPA REVOLUTIONS
565 Country Club Road
Escondido, CA 92029
Domestic Emergency Phone: 760.480.9736
Other phone: Tel: 760.612.5256
Other Phone: Jerry Whittemore, 310.202.6456,
Fax 310.202.9192
Prepared by Jerry Whittemore, PharD, Juniper Laboratories, Los Angeles, CA
Prepared Dec. 1, 2006 (contact Dr. Whittemore 310-202-6456)

SECTION 2: COMPOSITION/INGREDIENT INFORMATION:

%	Cas no:	Pel-twa	pel stel	acgih	tlv twa	tlv stel	tlv ceiling
Paraffin 70-99%	3111.25.6	1mg/m3	na	na	na	na	na
Lecithin .4-20%	3155.64.	1mg/m3	na	na	na	na	na
Tocopheryl Acet .1-2%	5252.44.7	1mg/m3	na	na	na	na	na
Retinyl Palmitate .02-8%	8024-69.0	1mg/m3	na	na	na	na	na

Note: all twa info is 8 hour time weighted average

Note: all acgih tlvs refer to 2002 standards

SECTION 3: HAZARDS DATA

Eye contact; May cause irritation (seek medical care)
Skin contact: No toxicity known
Ingestion: Edible ingredients; could be strong laxative
Inhalation: No toxicity known

SECTION 4: FIRST AID MEASURES

Ingestion: Obtain medical assistance
Inhalation: No response needed
Overexposure: Obtain medical assistance if severe allergy occurs
Eyes: Flush with plenty of water; obtain medical assistance

Skin: No toxicity known; consider allergic response

Notes to physicians or first responders:
Call Dr J Whittemore 310.202.6456

SECTION 5: FIRE AND EXPLOSION DATA

Flash point: prox 140 C. Method used: open cup
Flammable limits: Lower: N/A Upper: N/A
Extinguishing Media:
Water Fog: ok CO2 ok Dry Chemical: ok
Unusual Fire and Explosion Hazards: None known to laboratory
Fire fighting equipment: No Special Equipment Needed
Recommended: Niosh/msha approved respirator with organic vapor cartridge
HIMS classification: 1-1-0-F (safety glasses with side shields)

SECTION 6. ACCIDENTAL RELEASE MEASURES:

Action to take for spill/Leaks: Sweep up and collect in appropriate containers

Use absorption dams to prevent spread of leak

Disposal Method: dispose of in accordance with Federal, State and Local Regulations.

SECTION 7: HANDLING AND STORAGE:

Ventilation: High quality general ventilation not required
Respiratory Protection: Niosh approved face mask recommended
Note: must have NIOSH Organic vapor cartridge
Skin Protection: Normal protective clothing and gloves adequate
Eye protection: Safety glasses and/or goggles with side shields

Use cGMP (current GOOD MANUFACTURING PRACTICES) at all times. Read and understand all current updates to cGMP in 21 CFR.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Use good ventilation and use safety glasses with side shields.

SECTION 9: CHEMICAL AND PHYSICAL PROPERTIES.

Boiling Point:	< 300 C.	Specific Gravity:	0.7-0.9
Vapor Pres.:	NA	% Volatile by vol.:	less than 2%
Vapor Dens.	NA	Appearance:	off white wax
Sol in Water:	none	Odor:	waxy; possible fragrance
PH	NA		

SECTION 10: STABILILTY AND REACTIVITY

Stability data:	not volatile
Conditions to avoid;	overheating
Polymerization:	none known
Polymerization to avoid:	none known

SECTION 11; TOXICOLOGICAL INFORMATION

Acute toxicity oral: not toxic to humans
Acute toxicity inhalation: none
Acute toxicity dermal: none known
Acute toxicity other: none known

SECTION 12: ECOLOGICAL INFORMATION

Environmental fate: no data available
Ectotoxicological information: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

US EPA waste number: not regulated

SECTION 14: TRANSPORT INFORMATION

Hazard class 1

UN/PIN number Not known

DOT classification: Not known

Canadian Trans. of Dangerous Goods (TDG): not regulated

SECTION 15: REGULATORY INFORMATION

This information herein is given in good faith, but no warranty expressed or implied is made. For further information, call Juniper Laboratories, Inc, Dr. Jerry Whittemore, at 310.202.6456

SECTION 16: OTHER INFORMATION

Keep away from children and animals

I. PRODUCT IDENTIFICATION

Trade Name: Spa Soft Water Lavender Scented	Manufacturer: Diamond Wipes Int'l, Inc. 4200 E. Mission Blvd. Ontario, CA 91761 Phone: (800) 454-1077 Rev: 02 2/8/08
Synonyms: Spa Soft Lavender Water Scented	
Chemical Family: not applicable	Formula: N/A
Generic Name: not applicable	Molecular Weight: not applicable

II. INGREDIENTS

COMPONENT (chemical/ common name/synonym)	HAZARD DATA
Water [CAS # 7732-18-5]	OSHA, AGIH; not listed
Salt [CAS #7647-14-5]	OSHA, AGIH; not listed
Lavender Fragrance *	OSHA, AGIH; not listed
Strodrex NB-20**	OSHA, AGIH; not listed

- * Trade secret, are with held in accordance with provisions of S1910.1200 of Title 29 of the Code of Federal Regulations. Contains no hazardous chemicals per Federal Law.
- ** This product is not subject to reporting requirements of Section 313 of Title III of Superfund and Reauthorization Act of 1986 and 40 CFR part 372

III. PHYSICAL DATA

Boiling Point, 760 mm Hg: not applicable	Melting Point: not applicable
Specific Gravity: not applicable (water = 1)	Solubility in water: Miscible in water
Vapor Pressure: not applicable (mm Hg)	Vapor Density: Lighter than air (air = 1)
% Volatile: N/A (by weight)	Evaporation Rate: N/A (Butyl Acetate = 1)
Appearance: Viscous liquid	Odor: Lavender

IV. FIRE AND EXPLOSION DATA

Flash Point (TCC): not applicable	Auto-ignition Temp: not applicable
Flammability Limits in Air (% volume): not applicable	LEL NA
	UEL NA
Extinguishing Media: N/A	
Special Fire Fighting Procedures: N/A	
Unusual Fire and Explosion Hazards: N/A	
NFPA 704 Fire Hazard Ratings: Health=0 Flammability= 0 Reactivity=0	

I. PRODUCT IDENTIFICATION

Trade Name:
Spa Soft Water Invigorate Scented

Manufacturer:
Diamond Wipes International Inc.
4200 East Mission Blvd.
Ontario, California 91761
Phone: 1 800-454-1077
Revision: 01 5/5/05

Synonyms:
Spa Soft Water Invigorate Scented

Chemical Family:
N/A

Formula: N/A

Generic Name:
N/A

Molecular Weight:
N/A

II. HAZARDOUS INGREDIENTS

COMPONENT (chemical/ common name/synonym)	HAZARD DATA		
	PERCENT	PEL	TWA
Water [CAS #7732-18-5]	= N/A	N/A	N/A
Salt [CAS #7647 -14-5]	= N/A	N/A	N/A
Invigorate Fragrance*	=N/A	N/A	N/A
Strodex NB-20**	=N/A	N/A	N/A

*Trade secret, are with held in accordance with provisions of S1910.1200 of Title 29 of the Code of Federal Regulations. Contains no hazardous chemicals per Federal Law.

** This product is not subject to reporting requirements of Section 313 of Title III of Superfund and Reauthorization Act of 1986 and 40 CFR part 372

III. PHYSICAL DATA

Boiling Point, 760 mm Hg: N/A

Freezing Point: N/A

Specific Gravity @ 20 C: N/A
(water = 1)

Solubility in water: Miscible in Water

Vapor Pressure: N/A
(mm Hg)

Vapor Density: Lighter than air
(air = 1)

Melting Point: N/A

Evaporation Rate: N/A
(Butyl Acetate = 1)

Vapor Density: N/A

Appearance: Viscous liquid

Odor: Invigorate

IV. FIRE AND EXPLOSION DATA

Flash Point (TCC): N/A

Auto-flammability: N/A

Flammability: N/A

LEL
N/AUEL
N/A

OSHA Flammability/Combustible Classification: N/A

Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: N/A.

NFPA 704 Fire Hazard Ratings: Health = 0 Flammability = 0 Reactivity = 0

V. HEALTH HAZARDS

Inhalation	None Currently Know.
Skin Contact	N/A
Skin Absorption	N/A
Ingestion	Give large amounts of water. Never give anything by mouth to an unconscious person. Get medical attention.
Eye Contact	Flush eyes with plenty of water for at least 15 min., lifting lower and upper eyelids. Get medical attention.
Health Hazard	Acute: N/A Chronic: N/A
Notes to Physician	No special procedures recommended

VI. REACTIVITY DATA

Stability: stable	Conditions to Avoid: Strong reducing and oxidizing agents.
Materials to Avoid:	N/A

Polymerization: Will not occur.

Hazardous Decomposition Products: combustion generates carbon dioxide and carbon monoxide.

VII. CONTROL AND PROTECTIVE MEASURES

Use the correct protective clothing and eyewear.

VIII. SPILL OR LEAK PROCEDURE

Not necessary for the consumer.

IX. SPECIAL PROTECTION INFORMATION

No special protection information necessary for the consumer

X. SPECIAL PRECAUTIONS

Handling: Protect against physical damage.

Storage: Store in a cool, dry well ventilated location, away from sources of ignition. Separate from incompatibles. Observe all warnings and precautions listed for the product. Store product in accordance with OSHA.

Other Precautions: As with all chemicals, read the MSDS before handling. Always use the proper safety gear and eye protection.

We believe the statements, technical information and recommendations contained herein are reliable, but are given without warranty or guarantee.

The information in this MSDS was obtained from current and reliable sources. This document is generate for the purpose of distributing health, safety, and environmental data. It is NOT a specification sheet nor should any displayed data be construed as a specification, if this product is used as a component in another product, this MSDS information may not be applicable.

I. PRODUCT IDENTIFICATION

Trade Name:
Spa Soft Water Neutral Scented

Manufacturer:
FYI Enterprises.
565 Country Club Dr.
Escondido, CA 92029
Phone: (760) 504-0330
Rev: 01 3/3/08

Synonyms:
Spa Soft Neutral Water Scented

Chemical Family:
not applicable

Formula:
N/A

Generic Name:
not applicable

Molecular Weight:
not applicable

II. INGREDIENTS

COMPONENT (chemical/ common name/synonym)

Water [CAS # 7732-18-5]
Salt [CAS #7647-14-5]
Citric Acid
Strodrex NB-20**

HAZARD DATA

OSHA, AGIH; not listed
OSHA, AGIH; not listed
OSHA, AGIH; not listed
OSHA, AGIH; not listed

- ** This product is not subject to reporting requirements of Section 313 of Title III of Superfund and Reauthorization Act of 1986 and 40 CFR part 372

III. PHYSICAL DATA

Boiling Point, 760 mm Hg: not applicable

Melting Point: not applicable

Specific Gravity: not applicable
(water = 1)

Solubility in water: Miscible in water

Vapor Pressure: not applicable
(mm Hg)

Vapor Density: Lighter than air
(air = 1)

% Volatile: N/A
(by weight)

Evaporation Rate: N/A
(Butyl Acetate = 1)

Appearance: Viscous liquid

Odor: None

IV. FIRE AND EXPLOSION DATA

Flash Point (TCC): not applicable

Auto-ignition Temp: not applicable

Flammability Limits in Air (% volume):
not applicable

LEL **UEL**
NA NA

Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: N/A

NFPA 704 Fire Hazard Ratings: Health=0 Flammability= 0 Reactivity=0

