

Safety Data Sheet
Lava Shell[®] Lava Gel[®] Sachet

SDS Revision Date:

11/7/2018



1. Identification

1.1. Product identifier

Product Identity

Lava Shell[®] Lava Gel[®] Sachet

Alternate Names

Lava Shell[®] Lava Gel[®] Sachet Level One
Lava Shell[®] Lava Gel[®] Sachet Level Two
Lava Shell[®] Lava Gel[®] Sachet Level Three
Lava Shell[®] Lava Gel[®] Sachet Trigger Point
Lava Shell[®] Lava Gel[®] Sachet Facial Blend
Lava Shell[®] Heater Sachet

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

Various Material Use

Application Method

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name

Forever Young International, Inc.
6744 Spencer Street
Las Vegas, NV 89119

Emergency

24 hour Emergency Telephone No.

888-827-4683

Customer Service: Forever Young International, Inc.

760-504-0330

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Sol. 1;H228

Flammable solid.

Pyr. Sol. 1;H250

Catches fire spontaneously if exposed to air.

WaterReact. 1;H260

In contact with water releases flammable gases which may ignite spontaneously.

2.2. Label elements

Safety Data Sheet
Lava Shell® Lava Gel® Sachet

SDS Revision Date:

11/7/2018



Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H228 Flammable solid.

H250 Catches fire spontaneously if exposed to air.

H260 In contact with water releases flammable gases which may ignite spontaneously.

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P222 Do not allow contact with air.

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P231+232 Handle under inert gas. Protect from moisture.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P335+334 Brush off loose particles from skin. Immerse in cool water / wrap in wet bandages.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P402+404 Store in a dry place. Store in a closed container.

P422 Store contents under ...

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Safety Data Sheet

Lava Shell[®] Lava Gel[®] Sachet

SDS Revision Date:

11/7/2018



| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|----------|--|-------|
| Magnesium CAS Number: 0007439-95-4 | 75 - 100 | WaterReact. 1;H260 Pyr. Sol. 1;H250 | [1] |
| Sodium polyacrylate CAS Number: 0009003-04-7 | 10 - 25 | Not Classified | [1] |
| Iron CAS Number: 0007439-89-6 | 1.0 - 10 | Not Classified | [1] |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

Material is not acutely toxic by ingestion, unless it is in large amounts.

4.2. Most important symptoms and effects, both acute and delayed

Overview

EYE CONTACT: Mechanical injury or particle may embed in eye.
INHALATION: Should be treated as nuisance dust, may irritate mucous membranes or upper respiratory tract. Use proper respirator and means of ventilation.
INGESTION: Ingestion is unlikely, however ingestion of large amounts could cause injury.
SKIN ABSORPTION: Unlikely due to physical form and properties. Low toxicity and not considered a hazard.
See section 2 for further details.

5. Fire-fighting measures

Safety Data Sheet

Lava Shell® Lava Gel® Sachet

SDS Revision Date:

11/7/2018



5.1. Extinguishing media

Smother burning powder by covering with DRY agents approved for use on Class D fires. Use agents such as dry melting flux, dry sand, MET-L-X powder, dry talc, Purple-K powder. DO NOT USE WATER! Do not use foam, halogenated extinguishers or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: None under normal usage.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Do not allow contact with air.

Keep away from any possible contact with water, because of violent reaction and possible flash fire.

Handle under inert gas. Protect from moisture.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment.

5.3. Advice for fire-fighters

Wear fire fighting glasses when fighting fires – burning Magnesium-Iron Alloy powder produces a very bright white flame! Only trained fire fighters should apply extinguishing agents gently to avoid disturbing or spreading the burning Alloy powder. Monitor carefully for flare-ups and smother these as necessary. Use self-contained breathing apparatus or approach from upwind due to intense white smoke (magnesium oxide) produced. Sometimes it is best to evacuate employees and allow Alloy powder to burn itself out rather than attempt to extinguish. Do NOT attempt to approach or fight if burning Alloy powder is or may be exposed to water!

Individual pads are self-extinguishing. If cases are ignited, plastic will burn initially as a class A fire. Bulk packs will transition from initial class A fire to flammable solid fire (class D) if fire is not brought under control in initial stages.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Collect spilled pads and inspect non woven fabric; if fabric is punctured, torn, or interior materials are wetted, discard as waste as described below: if fabric is undamaged, repackage. Do NOT use water for cleanup.

Safety Data Sheet

Lava Shell® Lava Gel® Sachet

SDS Revision Date:

11/7/2018



7. Handling and storage

7.1. Precautions for safe handling

Protect against physical damage.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Reacts violently with halogens, chlorinated solvents, ammonium nitrate, carbonates, arsenic, cupric oxide, cupric sulfate, mercuric oxide, inorganic phosphates

Store in a cool, dry well ventilated location, away from sources of ignition. Separate from incompatibles. Observe all warnings and precautions listed for the product. Store product in accordance with OSHA.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------|---------------------|----------|----------------------|
| 0007439-89-6 | Iron | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 0007439-95-4 | Magnesium | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 0009003-04-7 | Sodium polyacrylate | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |

Safety Data Sheet

Lava Shell® Lava Gel® Sacht

SDS Revision Date:

11/7/2018



Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|--------------|---------------------|--------|--|
| 0007439-89-6 | Iron | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0007439-95-4 | Magnesium | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0009003-04-7 | Sodium polyacrylate | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

8.2. Exposure controls

| | |
|-----------------------------|---|
| Respiratory | Not required. |
| Eyes | Protective safety glasses recommended |
| Skin | Use the proper safety gear |
| Engineering Controls | Provide adequate ventilation |
| Other Work Practices | Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. |

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

| | |
|--|---|
| Appearance | Flat grayish, metallic powder consisting of above ingredients, packaged in non woven fabric Solid |
| Odor | None |
| Odor threshold | Not determined |
| pH | Not Measured |
| Melting point / freezing point | 1202 F |
| Initial boiling point and boiling range | 2025 F |
| Flash Point | Not Measured |

Safety Data Sheet

Lava Shell[®] Lava Gel[®] Sachet

SDS Revision Date:

11/7/2018



| | |
|--|---|
| Evaporation rate (Ether = 1) | Not Measured |
| Flammability (solid, gas) | Solid |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured |
| Vapor pressure (Pa) | Not Measured |
| Vapor Density | Not Measured |
| Specific Gravity | 1.74 @25C |
| Solubility in Water | None |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured |
| Auto-ignition temperature | Loose powder may auto ignite if exposed to heat and sparks while dispersed as a fine powder in the air. |
| Decomposition temperature | Not Measured |
| Viscosity (cSt) | Not Measured |
| Coefficient of Water/Oil Distribution: | Not Applicable |
| Molecular Weight | Not Defined |
| 9.2. Other information | |
| No other relevant information. | |

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable unless exposed to water, reacts with salt water. Hydrogen gas released.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Reacts violently with halogens, chlorinated solvents, ammonium nitrate, carbonates, arsenic, cupric oxide, cupric sulfate, mercuric oxide, inorganic phosphates

10.6. Hazardous decomposition products

Safety Data Sheet

Lava Shell® Lava Gel® Sachet

SDS Revision Date:

11/7/2018



None under normal usage

11. Toxicological information

Acute toxicity

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|-----------------------------------|-------------------------------|-------------------|---------------------------------|-------------------------------------|--------------------------|
| Magnesium - (7439-95-4) | No data available | No data available | No data available | No data available | No data available |
| Sodium polyacrylate - (9003-04-7) | No data available | No data available | No data available | No data available | No data available |
| Iron - (7439-89-6) | 30,000.00, Rat - Category: NA | No data available | No data available | No data available | No data available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | --- | Not Applicable |
| Serious eye damage/irritation | --- | Not Applicable |
| Respiratory sensitization | --- | Not Applicable |
| Skin sensitization | --- | Not Applicable |
| Germ cell mutagenicity | --- | Not Applicable |
| Carcinogenicity | --- | Not Applicable |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | --- | Not Applicable |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |

Safety Data Sheet
Lava Shell® Lava Gel® Sachet

SDS Revision Date:

11/7/2018



12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|-----------------------------------|-----------------------|----------------------------|-------------------|
| Magnesium - (7439-95-4) | Not Available | Not Available | Not Available |
| Sodium polyacrylate - (9003-04-7) | Not Available | Not Available | Not Available |
| Iron - (7439-89-6) | Not Available | Not Available | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|------------------------|---------------------------------------|-----------------------------------|---------------|
| 14.1. UN number | Not Applicable | Not Regulated | Not Regulated |

Safety Data Sheet
Lava Shell® Lava Gel® Sachet

SDS Revision Date:

11/7/2018



| | | | |
|---|---|---|----------------------------------|
| 14.2. UN proper shipping name | Not Regulated | Not Regulated | Not Regulated |
| 14.3. Transport hazard class(es) | DOT Hazard Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable |
| 14.4. Packing group | Not Applicable | Not Applicable | Not Applicable |
| 14.5. Environmental hazards | | | |
| IMDG | Marine Pollutant: No | | |
| 14.6. Special precautions for user | | | |
| No further information | | | |

15. Regulatory information

| | |
|--|---|
| Regulatory Overview | The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. |
| Toxic Substance Control Act (TSCA) | All components of this material are either listed or exempt from listing on the TSCA Inventory. |
| WHMIS Classification | F |

| | |
|-------------------------------|---------------------------------------|
| US EPA Tier II Hazards | Fire: Yes |
| | Sudden Release of Pressure: No |
| | Reactive: Yes |
| | Immediate (Acute): No |
| | Delayed (Chronic): No |

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Safety Data Sheet
Lava Shell® Lava Gel® Sachet

SDS Revision Date:

11/7/2018



To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Magnesium

Pennsylvania RTK Substances (>1%):

Magnesium

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H250 Catches fire spontaneously if exposed to air.

H260 In contact with water releases flammable gases which may ignite spontaneously.

H261 In contact with water releases flammable gases.

We believe the statements, technical information and recommendations contained herein are reliable, but are given without warranty or guarantee. The information in the SDS was obtained from current and reliable sources. This document is generated for the purpose of distributing health, safety, and environmental data. It is NOT a specification sheet nor should any displayed data be construed as a specification, if this product is used as a component is another product, this SDS information may not be applicable.

End of Document